


# STURDI-SLEEVE SIZE LISTING-Millimetres



Dimensions in Millimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installation Depth
99049	12.00	11.91	12.07	5.99	8.41	15.49	47.63
99050	12.70	12.65	12.75	6.35	8.74	15.49	50.80
99055	14.00	13.89	14.00	6.35	9.93	19.05	46.51
99056	14.30	14.22	14.38	6.35	9.93	19.05	46.51
99059	15.01	14.96	15.06	5.00	8.99	19.05	47.29
99062	15.88	15.82	15.93	7.95	10.31	19.05	50.80
99810 *	15.88	15.82	15.93	7.95	10.31	19.05	50.80
99058	16.00	15.90	16.00	7.95	11.13	18.24	50.80
99068	17.00	16.94	17.04	8.00	11.00	22.22	50.80
99060	17.37	17.32	17.42	7.95	11.13	22.86	50.80
99082	18.01	17.88	18.01	8.00	11.00	24.43	46.00
99076	19.05	19.00	19.10	7.95	11.13	24.00	50.80
99811 *	19.05	19.00	19.10	7.95	11.13	24.00	50.80
99081	19.30	19.28	19.33	7.95	11.13	23.83	50.80
99080	19.84	19.81	19.91	7.95	11.13	23.75	50.80
99078	20.00	19.94	20.04	8.00	11.00	23.62	50.80
99086	21.82	21.77	21.87	6.35	9.52	29.34	50.80
99084	22.00	21.87	22.00	6.58	9.12	30.18	47.14
99085	22.00	21.87	22.00	8.00	11.99	30.18	46.02
99087	22.22	22.17	22.28	7.95	11.13	27.79	50.80
99812 *	22.22	22.17	22.28	7.95	11.13	27.79	50.80
99091	23.11	23.06	23.16	7.95	11.13	30.94	46.91
99860 *	23.11	23.06	23.16	7.95	11.13	30.94	46.91
99092	24.00	23.88	24.00	7.95	11.13	28.70	50.80
99094	24.61	24.54	24.64	7.95	11.13	28.70	50.80
99096	24.61	24.54	24.64	15.88	18.26	28.70	50.80
99098	25.00	24.94	25.04	7.95	11.00	33.02	50.80

## STURDI-SLEEVE SIZE LISTING-MILLIMETRES(CINTINUE

Dimensions in Millimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installation Depth
99813 *	25.00	24.94	25.04	7.95	11.00	33.02	50.80
99100	25.40	25.35	25.45	7.95	11.13	30.96	50.80
99814 *	25.40	25.35	25.45	7.95	11.13	30.96	50.80
99103	26.01	25.88	26.01	8.00	11.99	33.35	46.05
99106	27.00	26.92	27.03	7.95	11.13	33.53	46.81
99815 *	27.00	26.92	27.03	7.95	11.13	33.53	46.81
99108	27.66	27.61	27.71	7.95	11.13	35.71	15.88
99111	28.00	27.94	28.04	9.52	12.70	34.92	46.81
99866 *	28.00	27.94	28.04	9.52	12.70	34.92	46.81
99112	28.57	28.52	28.63	7.95	11.13	38.10	17.48
99116	28.57	28.52	28.63	9.52	12.70	38.10	17.48
99816 *	28.57	28.52	28.63	7.95	11.13	38.10	17.48
99120	29.36	29.31	29.41	9.52	12.70	34.29	17.48
99122	29.84	29.79	29.92	7.95	11.13	35.56	17.48
99114	30.00	29.95	30.07	8.00	11.00	35.56	17.48
99118	30.18	30.10	30.23	7.95	11.13	35.56	17.48
99123	30.96	30.89	31.04	7.95	11.00	39.70	15.88
99141	31.50	31.42	31.57	8.00	11.13	39.12	17.48
99125	31.75	31.67	31.83	7.95	11.13	38.10	17.48
99817 *	31.75	31.67	31.83	7.95	11.13	38.10	17.48
99128	32.00	31.93	32.08	8.00	11.13	38.10	17.48
99121	33.00	32.94	33.05	15.01	18.01	40.49	25.40
99129	33.35	33.22	33.38	6.35	9.52	40.64	20.65
99131	33.35	33.27	33.43	12.70	15.88	40.49	20.65
99818 *	33.35	33.27	33.43	12.70	15.88	40.49	20.65
99134	34.01	33.86	34.01	12.70	15.88	41.27	20.65
99133	34.92	34.82	34.98	7.95	11.13	41.61	20.65
99138	34.92	34.82	34.98	12.70	15.88	41.61	20.65
99819 *	34.92	34.82	34.98	12.70	15.88	41.61	20.65
99139	34.92	34.92	35.08	13.00	16.00	41.61	20.65
99820 *	34.92	34.92	35.08	13.00	16.00	41.61	20.65
99146	36.00	35.84	35.99	13.00	16.99	45.24	24.99
99143	36.53	36.37	36.53	14.30	17.48	45.24	25.81
99821 *	36.53	36.37	36.53	14.30	17.48	45.24	25.81
99144	36.53	36.45	36.60	9.52	12.70	45.24	25.81
99147	38.00	37.85	38.00	13.00	16.99	45.24	24.99
99149	38.10	38.02	38.18	14.30	17.48	45.24	25.81
99150	38.10	38.02	38.18	9.52	12.70	45.24	25.81
99822 *	38.10	38.02	38.18	14.30	17.48	45.24	25.81

## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Milimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installati on Depth
99823 *	38.10	38.02	38.18	9.52	12.70	45.24	25.81
99152	38.68	38.61	38.76	11.13	14.30	47.22	25.81
99155	39.42	39.34	39.50	11.13	14.30	47.22	25.81
99156	39.70	39.60	39.75	14.30	17.48	47.22	25.81
99824 *	39.70	39.60	39.75	14.30	17.48	47.22	25.81
99159	39.85	39.78	39.93	15.88	19.05	47.22	25.81
99153	40.00	39.85	40.00	9.91	12.93	46.99	25.40
99157	40.08	39.93	40.08	13.00	16.00	46.99	25.98
99825 *	40.08	39.93	40.08	13.00	16.00	46.99	25.98
99160	40.77	40.69	40.84	12.70	16.28	49.23	25.40
99163	41.00	40.84	41.00	12.70	15.88	49.23	25.81
99161	41.27	41.20	41.35	7.95	11.13	47.63	25.81
99162	41.27	41.20	41.35	14.30	17.48	47.63	20.65
99826 *	41.27	41.20	41.35	14.30	17.48	47.63	20.65
99166	41.91	41.83	42.01	11.30	14.50	53.01	21.49
99169	41.91	41.83	42.01	14.30	17.50	53.01	21.01
99165	42.06	41.99	42.14	13.97	17.50	53.01	21.01
99168	42.88	42.77	42.93	14.30	17.48	48.41	22.22
99167	42.88	42.80	42.95	7.95	11.13	48.41	22.22
99182	43.00	42.85	43.00	12.70	15.88	48.41	21.44
99171	43.66	43.56	43.71	14.30	17.48	51.59	20.65
99170	44.17	44.09	44.25	9.52	12.70	52.40	20.65
99172	44.45	44.37	44.53	9.52	12.70	52.20	20.65
99174	44.45	44.37	44.53	14.30	17.48	52.40	20.65
99175	44.45	44.37	44.53	19.05	22.22	52.40	20.65
99180	44.45	44.37	44.53	13.49	15.88	52.40	22.30
99827 *	44.45	44.37	44.53	14.30	17.48	52.40	20.65
99828 *	44.45	44.37	44.53	19.05	22.22	52.40	20.65
99176	44.86	44.73	44.88	14.30	17.48	52.40	20.65
99829 *	44.86	44.73	44.88	14.30	17.48	52.40	20.65
99177	45.01	44.93	45.08	14.00	16.99	53.01	20.62
99830 *	45.01	44.93	45.08	14.00	16.99	53.01	20.62
99179	45.24	45.16	45.31	16.94	20.32	53.97	26.97
99181	46.05	45.95	46.10	14.30	17.48	53.09	25.40
99831 *	46.05	45.95	46.10	14.30	17.48	53.09	25.40
99185	47.22	47.17	47.32	14.30	17.48	54.76	25.40
99186	47.45	47.40	47.55	22.58	26.03	55.58	25.40
99184	47.63	47.55	47.70	9.52	13.11	55.96	26.67
99187	47.63	47.55	47.70	14.30	17.48	55.96	25.40

## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Milimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.08mm	"O" Overall Width ± 0.08mm	"F" Flange Diameter ± 1.6mm	"E" Installati on Depth
99188	47.63	47.55	47.70	7.49	10.54	55.96	18.90
99190	47.63	47.55	47.70	4.44	7.49	55.96	18.90
99832 *	47.63	47.55	47.70	14.30	17.48	55.96	25.40
99189	48.03	47.93	48.08	14.00	16.97	56.01	24.99
99192	48.56	48.49	48.64	9.52	12.70	56.36	25.40
99193	49.23	49.12	49.28	14.30	17.48	56.36	25.40
99833 *	49.23	49.12	49.28	14.30	17.48	56.36	25.40
99196	50.01	49.91	50.06	14.00	16.97	57.00	24.99
99198	50.29	50.22	50.37	14.30	17.88	58.75	26.67
99199	50.80	50.72	50.88	14.30	17.48	61.11	25.40
99200	50.80	50.72	50.88	22.22	25.40	61.11	25.40
99834 *	50.80	50.72	50.88	14.30	17.48	61.11	25.55
99835 *	50.80	50.72	50.88	22.22	25.40	61.11	25.40
99204	52.00	51.82	51.99	12.70	15.88	62.71	34.52
99205	52.40	52.25	52.40	19.84	23.83	62.71	34.92
99210	53.97	53.92	54.05	12.70	19.05	61.52	32.54
99212	53.97	53.95	54.10	19.84	23.83	61.52	34.92
99836 *	53.97	53.95	54.10	19.84	23.83	61.52	34.92
99863 *	54.99	54.91	55.09	19.99	22.99	62.00	31.75
99215	55.00	54.91	55.07	19.99	22.99	62.00	31.75
99218	55.58	55.52	55.68	19.84	23.83	63.50	33.35
99224	56.01	55.83	56.01	19.79	23.77	64.29	80.01
99220	56.01	55.83	56.01	12.70	15.88	64.29	33.35
99229	56.64	56.57	56.72	12.70	15.88	64.29	33.35
99230	56.64	56.57	56.72	19.84	23.01	64.29	31.75
99226	56.90	56.82	56.97	19.41	22.86	65.10	31.75
99225	57.15	57.12	57.28	19.84	23.83	64.29	33.35
99227	57.15	57.12	57.28	7.95	11.13	64.29	33.35
99837 *	57.15	57.12	57.28	19.84	23.83	64.29	33.35
99838 *	57.15	57.12	57.28	7.95	11.13	64.29	33.35
99219	58.00	57.91	58.06	19.99	23.83	65.99	34.92
99231	58.75	58.65	58.80	19.84	23.83	68.28	34.92
99233	59.13	59.11	59.26	19.05	22.22	69.85	38.10
99235	60.00	59.92	60.07	19.99	22.99	70.74	34.92
99241	60.00	59.92	60.07	9.40	11.43	70.74	37.36
99238	60.32	60.25	60.40	15.09	19.05	69.85	34.92
99237	60.32	60.30	60.45	19.84	23.83	69.85	34.92
99240	60.32	60.30	60.45	13.36	17.35	69.85	34.92
99839 *	60.32	60.30	60.45	19.84	23.83	69.85	34.92
99243	61.93	61.82	61.98	19.84	23.83	71.83	35.38

## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Milimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installati on Depth
99242	61.93	61.85	62.00	12.70	15.88	71.83	36.20
99244	62.00	61.82	62.00	12.70	15.88	71.83	36.20
99249	63.30	63.22	63.37	19.84	23.83	73.02	35.38
99253	63.50	63.42	63.58	14.10	16.51	71.63	22.61
99248	63.50	63.50	63.65	12.70	16.66	71.83	35.38
99250	63.50	63.50	63.65	19.84	23.83	71.63	34.92
99840 *	63.50	63.50	63.65	19.84	23.83	71.63	34.92
99251	63.91	63.75	63.91	19.84	23.01	71.83	36.53
99254	65.00	64.92	65.07	19.99	22.99	72.39	34.92
99841 *	65.00	64.92	65.07	19.99	22.99	72.39	34.92
99256	65.10	65.02	65.18	19.84	23.83	73.43	34.92
99259	66.00	65.91	66.07	19.84	23.83	75.95	31.75
99261	66.57	66.50	66.65	19.84	23.83	77.39	34.92
99264	66.67	66.57	66.73	19.84	23.01	77.39	34.92
99260	66.67	66.60	66.75	12.70	15.88	77.39	34.92
99262	66.67	66.67	66.83	19.84	23.83	77.39	34.92
99842 *	66.67	66.67	66.83	19.84	23.83	77.39	34.92
99266	68.00	67.82	68.00	19.05	22.22	79.38	42.88
99268	69.34	69.27	69.42	19.84	23.01	79.38	33.35
99273	69.67	69.60	69.75	19.84	23.83	77.85	31.75
99274	69.85	69.72	69.88	19.84	23.83	79.38	31.75
99843 *	69.85	69.72	69.88	19.84	23.83	79.38	31.75
99267	69.85	69.77	69.93	36.53	41.27	78.11	41.27
99269	69.85	69.85	70.00	28.57	31.75	79.38	33.32
99272	69.85	69.85	70.00	10.31	14.30	79.38	31.75
99275	69.85	69.85	70.00	19.84	23.83	79.38	31.75
99844 *	69.85	69.85	70.00	19.84	23.83	79.38	31.75
99276	70.00	69.93	70.08	19.99	24.00	79.38	31.75
99281	71.45	71.35	71.50	15.09	17.48	80.98	31.75
99284	72.01	71.83	72.01	19.05	22.22	81.91	34.11
99282	72.09	72.09	72.24	12.70	16.66	81.91	31.75
99845 *	72.09	72.09	72.24	12.70	16.66	81.91	31.75
99286	72.87	72.80	72.95	19.84	23.83	80.98	31.75
99287	73.02	72.97	73.13	19.84	23.83	81.76	31.75
99846 *	73.02	72.97	73.13	19.84	23.83	81.76	31.75
99290	74.63	74.60	74.75	12.70	16.28	84.94	33.81
99293	74.63	74.60	74.75	19.84	23.83	84.94	33.35
99847 *	74.63	74.60	74.75	19.84	23.83	84.94	33.35
99289	75.01	74.93	75.08	15.09	17.53	83.13	27.51
99294	75.01	74.93	75.08	22.00	26.01	83.95	33.35

## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Millimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installati on Depth
99292	75.54	75.49	75.59	20.65	25.40	82.17	31.75
99291	76.02	75.95	76.10	12.29	15.88	85.32	33.81
99298	76.02	75.95	76.10	14.30	17.48	85.32	34.92
99299	76.02	75.95	76.10	20.65	25.40	85.09	32.54
99296	76.20	76.12	76.28	20.65	23.83	82.30	34.92
99300	76.20	76.20	76.35	20.65	25.40	82.17	32.54
99303	76.20	76.20	76.35	15.88	20.65	84.96	32.51
99848 *	76.20	76.20	76.35	20.65	25.40	82.17	32.54
99301	76.48	76.40	76.56	12.70	15.88	85.22	50.80
99306	78.00	77.83	78.00	19.05	22.22	88.09	52.22
99311	79.38	79.25	79.40	17.48	20.65	89.69	50.80
99312	79.38	79.25	79.40	20.65	25.40	89.69	50.80
99849 *	79.38	79.25	79.40	20.65	25.40	89.69	50.80
99307	79.38	79.35	79.55	14.00	18.01	89.53	51.59
99313	80.01	79.81	80.01	19.05	22.50	89.92	34.92
99315	80.01	79.91	80.09	21.01	24.00	89.99	34.92
99317	80.01	79.91	80.09	11.00	15.01	89.99	34.92
99328	81.99	81.91	82.07	16.76	21.54	91.06	44.45
99322	82.55	82.47	82.63	20.65	25.40	91.29	34.92
99324	82.55	82.55	82.70	15.11	18.26	90.80	34.92
99325	82.55	82.55	82.70	20.65	25.40	91.06	34.92
99326	82.55	82.55	82.70	17.48	22.22	91.06	31.75
99850 *	82.55	82.55	82.70	15.11	18.26	90.80	34.92
99851 *	82.55	82.55	82.70	20.65	25.40	91.06	34.92
99331	84.07	84.00	84.15	20.65	25.40	93.68	34.92
99332	84.89	84.76	85.01	16.99	21.01	93.98	35.00
99333	84.89	84.76	85.01	21.01	24.99	93.98	35.00
99334	85.00	84.79	84.99	10.13	12.67	90.93	36.35
99337	85.72	85.67	85.83	20.65	25.40	93.85	34.92
99338	85.72	85.67	85.83	9.52	12.70	93.68	35.81
99339	87.33	87.25	87.40	19.84	23.01	97.64	35.71
99340	88.39	88.32	88.47	19.84	23.01	97.41	35.71
99346	88.90	88.82	88.98	15.88	20.65	97.64	34.21
99347	88.90	88.90	89.05	7.95	12.70	97.16	34.21
99350	88.90	88.90	89.05	20.65	25.40	97.64	34.21
99852 *	88.90	88.90	89.05	20.65	25.40	97.64	34.21
99349	89.00	88.93	89.08	15.88	20.65	97.64	34.24
99351	90.00	89.92	90.07	18.03	23.01	101.60	46.05
99352	90.00	89.92	90.07	11.13	13.67	101.60	46.05
99353	90.00	89.92	90.07	13.36	16.94	101.60	44.45

## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Millimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installati on Depth
99354	90.00	89.92	90.07	23.01	27.99	101.60	44.45
99356	90.50	90.42	90.58	20.65	25.40	99.06	44.45
99360	91.97	91.90	92.05	20.65	25.40	102.39	44.45
99362	92.07	92.02	92.18	20.65	25.40	102.39	44.45
99363	92.07	92.02	92.18	12.70	15.88	102.24	44.45
99368	93.68	93.57	93.73	7.95	11.13	102.39	22.22
99365	93.68	93.60	93.75	20.65	23.83	102.24	45.72
99359	94.74	94.67	94.82	11.91	15.09	102.01	45.72
99366	94.74	94.67	94.82	19.84	23.01	102.24	45.72
99369	95.00	94.92	95.07	21.01	24.00	102.24	45.72
99364	95.07	95.00	95.15	11.91	15.09	102.49	45.72
99374	95.07	95.00	95.15	8.74	12.70	102.39	45.72
99376	95.22	95.15	95.30	14.30	17.48	102.24	45.72
99853 *	95.25	95.25	95.40	17.48	22.22	102.11	45.72
99367	95.33	95.25	95.40	8.74	12.70	102.24	45.72
99372	95.33	95.25	95.40	17.48	22.22	102.11	45.72
99386	98.32	98.25	98.40	20.65	25.40	106.30	47.63
99387	98.42	98.37	98.53	20.65	25.40	107.16	47.63
99393	100.03	99.95	100.10	20.65	25.40	109.55	52.07
99854 *	100.03	99.95	100.10	20.65	25.40	109.55	52.07
99395	101.60	101.55	101.75	15.24	18.41	111.13	52.07
99399	101.60	101.55	101.75	20.65	25.40	111.13	52.07
99400	101.60	101.55	101.75	16.51	19.68	111.13	34.92
99401	101.60	101.55	101.75	12.70	15.88	111.13	52.48
99855 *	101.60	101.55	101.75	20.65	25.40	111.13	52.07
99409	104.00	103.89	104.09	19.99	24.00	112.73	35.99
99412	104.77	104.70	104.90	20.65	25.40	113.54	34.92
99413	105.00	104.90	105.11	19.99	23.19	113.54	35.00
99418	106.38	106.25	106.45	20.65	25.40	114.30	34.92
99423	107.54	107.34	107.54	19.84	23.01	117.09	36.53
99424	107.95	107.90	108.10	20.65	25.40	117.09	36.53
99435	109.93	109.91	110.11	12.93	16.51	124.99	31.75
99434	110.01	109.78	110.01	11.38	14.96	124.99	32.94
99437	111.13	111.00	111.20	20.65	25.40	120.65	41.91
99438	112.00	111.79	111.99	19.05	22.50	120.65	33.02
99439	112.73	112.62	112.83	25.40	29.01	122.25	33.35
99450	114.30	114.20	114.40	20.65	25.40	123.19	31.75
99856 *	114.30	114.20	114.40	20.65	25.40	124.46	31.75
99452	115.01	114.88	115.09	20.65	23.83	127.00	31.75
99463	117.47	117.37	117.58	25.40	31.75	128.60	34.92



## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Millimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.08mm	"O" Overall Width ± 0.08mm	"F" Flange Diameter ± 1.6mm	"E" Installati on Depth
99465	117.47	117.37	117.58	11.13	15.88	127.00	34.92
99468	119.08	119.00	119.20	20.65	25.40	128.60	34.92
99471	120.00	119.89	120.09	8.00	11.00	129.79	33.60
99473	120.00	119.89	120.09	19.99	24.99	129.79	32.00
99475	120.65	120.55	120.75	12.70	19.05	127.00	38.10
99472	122.00	121.89	122.10	19.99	24.00	131.50	32.00
99484	123.01	122.91	123.11	19.99	24.99	132.82	31.60
99487	123.82	123.72	123.93	15.88	19.05	133.35	36.53
99490	125.00	124.89	125.09	10.01	14.00	137.16	36.53
99492	125.00	124.89	125.09	26.01	32.00	137.16	36.53
99498	127.00	126.95	127.15	17.48	22.22	137.16	36.53
99499	127.00	126.95	127.15	20.65	25.40	136.91	36.53
99501	127.00	126.95	127.15	13.72	17.30	137.16	36.53
99857 *	127.00	126.95	127.15	17.48	22.22	137.16	36.53
99858 *	127.00	126.95	127.15	20.65	25.40	136.91	36.53
99494	129.90	129.79	130.00	19.05	23.83	139.52	30.00
99491	130.17	129.97	130.17	22.00	25.30	139.52	32.51
99513	130.17	130.05	130.25	20.65	25.40	139.70	31.75
99525	133.35	133.25	133.45	20.65	25.40	141.22	31.75
99533	134.90	134.80	135.00	20.50	25.40	145.67	31.75
99537	136.53	136.42	136.63	20.65	25.40	149.22	31.75
99548	138.13	138.02	138.23	38.10	42.88	146.05	47.63
99547	139.09	138.99	139.19	14.30	19.05	149.86	31.34
99549	139.70	139.65	139.85	20.65	25.40	150.83	31.75
99550	139.70	139.65	139.85	13.16	17.91	150.83	31.75
99859 *	139.70	139.65	139.85	20.65	25.40	150.83	31.75
99552	140.00	139.90	140.11	20.50	25.40	151.00	31.75
99560	142.88	142.77	142.98	22.22	25.40	157.18	46.02
99571	145.01	144.75	145.01	19.05	22.22	154.94	46.02
99562	145.64	145.44	145.64	14.30	19.05	154.94	49.23
99575	146.05	145.95	146.15	20.65	25.40	156.97	44.45
99587	149.22	149.12	149.33	25.40	31.75	157.18	33.35
99862 *	149.22	149.12	149.33	25.40	31.75	157.18	33.35
99595	149.99	149.76	150.01	26.01	30.00	159.00	32.51
99596	150.83	150.72	150.93	25.40	28.57	161.92	47.63
99599	152.40	152.27	152.48	25.40	31.75	161.92	44.45
99601	152.40	152.27	152.48	12.70	19.05	161.54	44.45
99605	154.00	153.87	154.13	26.01	30.00	161.92	32.99
99606	154.86	154.74	154.99	26.01	30.00	167.01	32.99
99620	157.56	157.43	157.68	20.65	27.00	168.27	44.45



## STURDI-SLEEVE SIZE LISTING-Millimetres(cintinued)

Dimensions in Milimetres							
Reference NO. mm	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft $\pm 0.08\text{mm}$	"O" Overall Width $\pm 0.08\text{mm}$	"F" Flange Diameter $\pm 1.6\text{mm}$	"E" Installati on Depth
99625	158.75	158.62	158.88	26.19	31.75	168.27	44.45
99630	160.00	159.74	159.99	25.40	31.75	171.45	34.92
99650	165.10	164.97	165.23	25.40	31.75	177.80	34.92
99640	169.88	169.75	170.00	31.75	38.00	182.58	44.45
99675	171.45	171.32	171.58	20.65	27.00	180.97	44.45
99687	175.01	174.75	175.01	27.99	32.00	186.99	35.00
99700	177.80	177.67	177.93	25.40	31.75	189.86	42.88
99721	180.01	179.76	180.01	32.99	38.00	190.50	44.50
99725	184.15	184.00	184.25	31.75	38.10	197.10	55.24
99726	184.86	184.73	184.99	32.00	38.00	197.10	54.99
99745	189.31	189.08	189.33	20.65	25.40	199.64	31.75
99750	190.50	190.37	190.63	20.65	25.40	200.02	31.75
99775	196.85	196.72	196.98	25.40	33.35	210.06	47.63
99787	200.02	199.87	200.13	34.52	38.10	212.72	44.45
99799	201.63	201.50	201.75	25.40	31.75	212.72	44.45
99800	203.20	203.07	203.33	25.40	31.75	212.72	44.45