



Sturdi-Sleeve size listing -Inches



Reference number	Dimensions in Inches						
	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ± 0.031 "	"O" Overall Width ± 0.031 "	"F" Flange Diameter ± 0.063 "	"E" Installation Depth
99049	0.472	0.469	0.475	0.236	0.331	0.610	1.874
99050	0.500	0.498	0.502	0.248	0.343	0.610	2.000
99055	0.551	0.547	0.551	0.248	0.390	0.752	1.831
99056	0.563	0.560	0.566	0.248	0.390	0.752	1.862
99059	0.591	0.589	0.593	0.197	0.354	0.752	1.862
99062	0.625	0.623	0.627	0.315	0.406	0.752	2.000
99058	0.630	0.626	0.630	0.315	0.437	0.717	2.000
99068	0.669	0.667	0.671	0.315	0.433	0.874	2.000
99060	0.684	0.682	0.686	0.315	0.437	0.894	2.000
99082	0.706	0.704	0.709	0.315	0.433	0.961	1.811
99076	0.750	0.748	0.752	0.315	0.437	0.945	2.000
99081	0.760	0.759	0.761	0.315	0.437	0.937	2.000
99080	0.781	0.780	0.784	0.315	0.437	0.937	2.000
99078	0.787	0.785	0.789	0.315	0.433	0.929	2.000
99083	0.813	0.812	0.815	0.375	0.563	1.188	3.000
99086	0.859	0.857	0.861	0.248	0.374	1.154	2.000
99084	0.866	0.861	0.866	0.260	0.358	1.189	1.854
99085	0.866	0.861	0.866	0.315	0.472	1.189	1.811
99087	0.875	0.873	0.877	0.315	0.437	1.095	2.000
99091	0.910	0.908	0.912	0.315	0.437	1.217	1.847
99092	0.945	0.940	0.945	0.315	0.437	1.130	2.000
99094	0.969	0.966	0.970	0.315	0.437	1.130	2.000
99096	0.969	0.966	0.970	0.626	0.721	1.130	2.000
99098	0.984	0.982	0.986	0.315	0.433	1.299	2.000
99101	1.000	0.995	1.002	0.312	0.437	1.221	2.032
99100	1.000	0.998	1.002	0.315	0.437	1.221	2.000
99103	1.024	1.019	1.024	0.315	0.472	1.315	1.811
99106	1.063	1.060	1.064	0.315	0.437	1.319	1.843
99108	1.089	1.087	1.091	0.315	0.437	1.406	0.626
99111	1.102	1.100	1.104	0.374	0.500	1.374	1.843
99112	1.125	1.123	1.127	0.315	0.437	1.500	0.689
99116	1.125	1.123	1.127	0.374	0.500	1.500	0.689
99120	1.156	1.154	1.158	0.374	0.500	1.350	0.689
99122	1.175	1.173	1.178	0.315	0.437	1.402	0.689
99114	1.181	1.179	1.184	0.315	0.433	1.402	0.689
99118	1.188	1.185 ,	1.190	0.315	0.437	1.402	0.689
99123	1.219	1.216	1.222	0.315	0.433	1.563	0.626
99141	1.240	1.237	1.243	0.315	0.437	1.539	0.689
99125	1.252	1.247	1.253	0.315	0.437	1.500	0.689

STURDI-SLEEVE SIZE LISTING-Inches (continued)

Reference number	Dimensions in Inches						
	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.031"	"O" Overall Width ±0.031"	"F" Flange Diameter ±0.063"	"E" Installation Depth
99128	1.260	1.257	1.263	0.315	0.437	1.500	0.689
99121	1.299	1.297	1.301	0.591	0.709	1.594	0.813
99129	1.313	1.308	1.314	0.248	0.374	1.598	0.815
99131	1.313	1.310	1.316	0.500	0.626	1.595	0.815
99134	1.339	1.333	1.339	0.500	0.626	1.626	0.815
99133	1.375	1.371	1.377	0.315	0.437	1.638	0.815
99138	1.375	1.371	1.377	0.626	0.500	1.638	0.815
99139	1.375	1.375	1.381	0.512	0.630	1.638	0.815
99146	1.417	1.411	1.417	0.512	0.669	1.780	0.984
99143	1.438	1.432	1.438	0.563	0.689	1.780	1.016
99144	1.438	1.432	1.438	0.563	0.689	1.780	1.016
99147	1.496	1.490	1.496	0.512	0.669	1.780	0.984
99150	1.500	1.497	1.503	0.374	0.500	1.780	1.016
99149	1.500	1.497	1.503	0.563	0.689	1.780	1.016
99152	1.523	1.520	1.526	0.437	0.563	1.858	1.016
99155	1.552	1.549	1.555	0.437	0.563	1.858	1.016
99156	1.563	1.559	1.565	0.563	0.689	1.858	1.016
99159	1.569	1.566	1.572	0.626	0.752	1.858	1.016
99153	1.575	1.569	1.575	0.390	0.508	1.847	1.000
99157	1.578	1.572	1.578	0.512	0.630	1.850	1.024
99160	1.605	1.602	1.608	0.500	0.642	1.937	1.000
99163	1.605	1.602	1.608	0.500	0.642	1.937	1.000
99161	1.625	1.622	1.628	0.315	0.437	1.874	1.016
99162	1.625	1.622	1.628	0.563	0.689	1.874	0.815
99166	1.650	1.647	1.654	0.445	0.571	2.087	0.843
99169	1.650	1.647	1.654	0.563	0.689	2.087	0.827
99165	1.656	1.653	1.659	0.551	0.689	2.087	0.827
99168	1.688	1.684	1.690	0.563	0.689	1.906	0.874
99167	1.688	1.685	1.691	0.315	0.437	1.906	0.874
99182	1.693	1.687	1.693	0.500	0.626	1.906	0.839
99171	1.719	1.715	1.721	0.563	0.689	2.032	0.815
99170	1.739	1.736	1.742	0.374	0.500	2.063	0.815
99173	1.750	1.745	1.753	0.874	1.000	2.063	1.031
99172	1.750	1.747	1.753	0.374	0.500	2.055	0.815
99180	1.750	1.747	1.753	0.532	0.626	2.063	0.878
99174	1.750	1.747	1.753	0.563	0.689	2.063	0.815
99175	1.750	1.747	1.753	0.752	0.874	2.063	0.815
99176	1.766	1.761	1.767	0.563	0.689	2.063	0.815
99177	1.772	1.769	1.775	0.551	0.669	2.087	0.811
99179	1.781	1.778	1.784	0.665	0.799	2.126	1.063
99181	1.813	1.809	1.815	0.563	0.689	2.091	1.000
99185	1.859	1.857	1.863	0.563	0.689	2.158	1.000
99186	1.868	1.866	1.872	0.890	1.024	2.189	1.000

STURDI-SLEEVE SIZE LISTING-Inches (continued)

Reference number	Dimensions in Inches						
	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.031"	"O" Overall Width ±0.031"	"F" Flange Diameter ±0.063"	"E" Installation Depth
99190	1.875	1.872	1.878	0.177	0.295	2.205	0.740
99188	1.875	1.872	1.878	0.295	0.413	2.205	0.740
99184	1.875	1.872	1.878	0.374	0.516	2.205	1.047
99187	1.875	1.872	1.878	0.563	0.689	2.205	1.000
99189	1.891	1.887	1.893	0.551	0.669	2.205	0.984
99192	1.912	1.909	1.915	0.374	0.500	2.221	1.000
99193	1.938	1.934	1.940	0.563	0.689	2.221	1.000
99196	1.969	1.965	1.971	0.551	0.669	2.244	0.984
99198	1.980	1.977	1.983	0.563	0.705	2.315	1.047
99199	2.000	1.997	2.003	0.563	0.689	2.406	1.000
99200	2.000	1.997	2.003	0.874	1.000	2.406	1.000
99204	2.047	2.040	2.047	0.500	0.626	2.469	1.358
99205	2.063	2.057	2.063	0.780	0.937	2.469	1.374
99210	2.125	2.123	2.128	0.500	0.752	2.421	1.280
99212	2.125	2.124	2.130	0.780	0.937	2.421	1.374
99215	2.165	2.162	2.168	0.787	0.906	2.441	1.252
99218	2.188	2.186	2.192	0.780	0.937	2.500	1.315
99220	2.205	2.198	2.205	0.500	0.626	2.532	1.315
99224	2.205	2.197	2.205	0.779	0.936	2.531	3.150
99229	2.230	2.227	2.233	0.500	0.626	2.532	1.315
99230	2.230	2.227	2.233	0.780	0.906	2.532	1.252
99226	2.240	2.237	2.243	0.764	0.902	2.563	1.252
99227	2.250	2.249	2.255	0.315	0.437	2.532	1.315
99225	2.250	2.249	2.255	0.780	0.937	2.532	1.3
99219	2.284	2.280	2.286	0.781	0.938	2.598	1.375
99231	2.313	2.309	2.315	0.780	0.937	2.689	1.374
99233	2.328	2.327	2.333	0.752	0.874	2.748	1.500
99241	2.362	2.359	2.365	0.370	0.449	2.784	1.374
99235	2.362	2.359	2.365	0.787	0.906	2.784	1.469
99236	2.375	2.369	2.375	0.780	0.937	2.748	1.374
99238	2.375	2.372	2.378	0.595	0.752	2.748	1.374
99240	2.375	2.374	2.380	0.528	0.685	2.748	1.374
99237	2.375	2.374	2.380	0.780	0.937	2.748	1.374
99243	2.438	2.434	2.440	0.780	0.937	2.827	1.394
99242	2.438	2.435	2.441	0.500	0.626	2.827	1.421
99244	2.441	2.434	2.441	0.500	0.626	2.827	1.421
99249	2.492	2.489	2.495	0.780	0.937	2.874	1.394
99253	2.500	2.497	2.503	0.555	0.650	2.819	0.890
99248	2.500	2.500	2.506	0.500	0.658	2.827	1.394
99250	2.500	2.500	2.506	0.780	0.937	2.819	1.374
99251	2.516	2.510	2.516	0.780	0.906	2.827	1.437
99254	2.559	2.556	2.562	0.787	0.906	2.850	1.374
99256	2.563	2.560	2.566	0.780	0.937	2.890	1.374
99259	2.598	2.595	2.601	0.780	0.937	2.992	1.252

STURDI-SLEEVE SIZE LISTING-Inches (continued)

Reference number	Dimensions in Inches						
	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.031"	"O" Overall Width ±0.031"	"F" Flange Diameter ±0.063"	"E" Installation Depth
99261	2.621	2.618	2.624	0.780	0.937	3.047	1.374
99264	2.625	2.621	2.627	0.780	0.906	3.047	1.374
99260	2.625	2.622	2.628	0.500	0.626	3.047	1.374
99262	2.625	2.625	2.631	0.780	0.937	3.047	1.374
99266	2.677	2.670	2.677	0.752	0.874	3.126	1.689
99268	2.730	2.727	2.733	0.780	0.906	3.126	1.315
99273	2.743	2.740	2.746	0.780	0.937	3.063	1.252
99274	2.750	2.745	2.751	0.780	0.937	3.126	1.252
99267	2.750	2.747	2.753	1.437	1.626	3.075	1.626
99270	2.750	2.747	2.753	0.780	0.937	3.126	1.252
99272	2.750	2.750	2.756	0.406	0.563	3.126	1.252
99275	2.750	2.750	2.756	0.780	0.937	3.126	1.252
99269	2.750	2.750	2.756	1.126	1.252	3.126	1.311
99276	2.756	2.753	2.759	0.787	0.945	3.126	1.252
99281	2.813	2.809	2.815	0.595	0.689	3.189	1.252
99284	2.835	2.828	2.835	0.752	0.874	3.224	1.343
99282	2.838	2.838	2.844	0.500	0.658	3.224	1.252
99286	2.869	2.866	2.872	0.780	0.937	3.189	1.252
99287	2.875	2.873	2.879	0.780	0.937	3.221	1.252
99290	2.938	2.937	2.943	0.500	0.642	3.343	1.331
99293	2.938	2.937	2.943	0.780	0.937	3.343	1.315
99289	2.953	2.950	2.956	0.866	1.024	3.307	1.315
99294	2.953	2.950	2.956	0.866	1.024	3.307	1.315
99292	2.974	2.972	2.976	0.811	1.000	3.236	1.252
99291	2.993	2.990	2.996	0.484	0.626	3.358	1.331
99298	2.993	2.990	2.996	0.563	0.689	3.358	1.374
99299	2.993	2.990	2.996	0.811	1.000	3.350	1.280
99296	3.000	2.997	3.003	0.811	0.937	3.240	1.374
99303	3.000	3.000	3.006	0.626	0.811	3.347	1.280
99300	3.000	3.000	3.006	0.811	1.000	3.236	1.280
99301	3.011	3.008	3.014	0.500	0.626	3.354	2.000
99306	3.071	3.064	3.071	0.752	0.874	3.465	2.055
99311	3.125	3.120	3.126	0.689	0.811	3.532	2.000
99312	3.125	3.120	3.126	0.811	1.000	3.532	2.000
99307	3.125	3.124	3.132	0.551	0.709	3.524	2.032
99313	3.146	3.142	3.150	0.752	0.886	3.539	1.374
99317	3.150	3.146	3.153	0.433	0.591	3.543	1.374
99315	3.150	3.146	3.153	0.827	0.945	3.543	1.374
99328	3.228	3.225	3.231	0.661	0.847	3.587	1.752
99322	3.250	3.247	3.253	0.811	1.000	3.595	1.374
99324	3.250	3.250	3.256	0.595	0.721	3.575	1.374
99326	3.250	3.250	3.256	0.689	0.874	3.587	1.252
99325	3.250	3.250	3.256	0.811	1.000	3.587	1.374
99331	3.310	3.307	3.313	0.811	1.000	3.689	1.374
99332	3.342	3.337	3.347	0.669	0.827	3.701	1.378

STURDI-SLEEVE SIZE LISTING-Inches (continued)

Reference number	Dimensions in Inches						
	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.031"	"O" Overall Width ±0.031"	"F" Flange Diameter ±0.063"	"E" Installation Depth
99333	3.342	3.337	3.347	0.827	0.984	3.701	1.378
99334	3.347	3.338	3.347	0.398	0.500	3.579	1.429
99338	3.375	3.373	3.379	0.374	0.500	3.689	1.409
99337	3.375	3.373	3.379	0.811	1.000	3.693	1.374
99339	3.438	3.435	3.441	0.780	0.906	3.843	1.406
99340	3.480	3.477	3.483	0.780	0.906	3.835	1.406
99346	3.500	3.497	3.503	0.626	0.811	3.843	1.347
99348	3.500	3.498	3.506	0.311	0.500	3.843	1.346
99347	3.500	3.500	3.506	0.315	0.500	3.827	1.347
99350	3.500	3.500	3.506	0.811	1.000	3.843	1.347
99349	3.504	3.501	3.507	0.626	0.811	3.843	1.347
99352	3.543	3.540	3.546	0.437	0.539	4.000	1.811
99353	3.543	3.540	3.546	0.528	0.665	4.000	1.752
99351	3.543	3.540	3.546	0.709	0.906	4.000	1.811
99354	3.543	3.540	3.546	0.906	1.102	4.000	1.752
99356	3.563	3.560	3.566	0.811	1.000	3.902	1.752
99360	3.621	3.618	3.624	0.811	1.000	4.032	1.752
99362	3.625	3.623	3.629	0.811	1.000	4.032	1.752
99363	3.626	3.623	3.629	0.500	0.625	4.025	1.750
99368	3.688	3.684	3.690	0.315	0.437	4.032	0.874
99365	3.688	3.685	3.691	0.811	0.937	4.024	1.799
99359	3.730	3.727	3.733	0.469	0.595	4.032	1.799
99366	3.730	3.727	3.733	0.780	0.906	4.024	1.799
99369	3.740	3.737	3.743	0.827	0.945	4.024	1.799
99374	3.740	3.740	3.746	0.343	0.500	4.032	1.799
99364	3.740	3.740	3.746	0.469	0.595	4.035	1.799
99376	3.750	3.746	3.752	0.563	0.689	4.024	1.799
99367	3.750	3.750	3.756	0.343	0.500	4.024	1.799
99372	3.750	3.750	3.756	0.689	0.874	4.020	1.799
99386	3.871	3.868	3.874	0.813	1.000	4.185	1.875
99387	3.875	3.873	3.875	0.811	1.000	4.221	1.874
99393	3.937	3.935	3.941	0.811	1.000	4.311	2.047
99401	4.000	3.998	4.006	0.500	0.626	4.374	2.067
99395	4.000	3.998	4.006	0.598	0.724	4.374	2.047
99400	4.000	3.998	4.006	0.650	0.776	4.374	1.374
99399	4.000	3.998	4.006	0.811	1.000	4.374	2.047
99409	4.095	4.090	4.098	0.787	0.945	4.437	1.417
99412	4.125	4.122	4.130	0.811	1.000	4.469	1.374
99413	4.134	4.130	4.138	0.787	0.913	4.469	1.378
99418	4.188	4.183	4.191	0.811	1.000	4.500	1.374
99423	4.234	4.226	4.234	0.780	0.906	4.610	1.437
99424	4.250	4.248	4.256	0.811	1.000	4.610	1.437
99435	4.328	4.327	4.335	0.508	0.650	4.921	1.260
99434	4.331	4.322	4.331	0.449	0.591	4.921	1.295
99437	4.375	4.370	4.378	0.811	1.000	4.752	1.654

STURDI-SLEEVE SIZE LISTING-Inches (continued)

Reference number	Dimensions in Inches						
	Nominal Shaft Diameter	"A" Shaft Diameter Minimum	"A" Shaft Diameter Maximum	"W" Width on Shaft ±0.031"	"O" Overall Width ±0.031"	"F" Flange Diameter ±0.063"	"E" Installation Depth
99438	4.406	4.402	4.409	0.752	0.886	4.752	1.299
99439	4.438	4.434	4.442	1.000	1.142	4.811	1.315
99450	4.500	4.496	4.504	0.811	1.000	4.902	1.260
99452	4.528	4.523	4.531	0.811	0.937	5.000	1.260
99465	4.626	4.621	4.629	0.437	0.626	5.000	1.374
99463	4.626	4.621	4.629	1.000	1.252	5.063	1.374
99468	4.688	4.685	4.693	0.811	1.000	5.063	1.374
99471	4.724	4.720	4.728	0.315	0.433	5.110	1.323
99473	4.724	4.720	4.728	0.787	0.984	5.110	1.260
99475	4.750	4.746	4.754	0.500	0.752	5.000	1.500
99472	4.803	4.799	4.807	0.787	0.945	5.177	1.260
99484	4.843	4.839	4.847	0.787	0.984	5.228	1.244
99487	4.875	4.871	4.879	0.626	0.752	5.248	1.43
99490	4.921	4.917	4.925	0.394	0.551	5.402	1.437
99492	4.921	4.917	4.925	1.024	1.260	5.402	1.437
99438	4.406	4.402	4.409	0.752	0.886	4.752	1.299
99501	5.000	4.998	5.006	0.539	0.681	5.402	1.437
99498	5.000	4.998	5.006	0.689	0.874	5.402	1.437
99499	5.000	4.998	5.006	0.811	1.000	5.390	1.437
99494	5.114	5.110	5.118	0.752	0.937	5.492	1.181
99491	5.125	5.117	5.125	0.866	0.996	5.492	1.280
99513	5.125	5.120	5.128	0.811	1.000	5.500	1.252
99525	5.250	5.246	5.254	0.811	1.000	5.559	1.252
99533	5.313	5.307	5.315	0.807	1.000	5.736	1.252
99537	5.375	5.371	5.379	0.811	1.000	5.874	1.252
99548	5.438	5.434	5.442	1.500	1.965	5.752	1.874
99547	5.476	5.472	5.480	0.563	0.752	5.902	1.232
99550	5.500	5.498	5.506	0.520	0.705	5.937	1.252
99549	5.500	5.498	5.506	0.811	1.000	5.937	1.252
99552	5.512	5.508	5.516	0.807	1.000	5.945	1.252
99560	5.625	5.621	5.629	0.875	1.000	6.188	1.812
99571	5.709	5.699	5.709	0.752	0.874	6.098	1.811
99562	5.734	5.726	5.734	0.563	0.752	6.098	1.937
99575	5.750	5.746	5.754	0.811	1.000	6.181	1.752
99587	5.875	5.871	5.879	1.000	1.252	6.189	1.315
99595	5.906	5.896	5.906	1.024	1.181	6.260	1.280
99596	5.938	5.934	5.942	1.000	1.126	6.374	1.874
99601	6.000	5.995	6.003	0.500	0.752	6.358	1.752

STURDI-SLEEVE SIZE LISTING-Inches (continued)

[illegible]